

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 10/5/2015 Revision date: 1/13/2020 Supersedes version of: 9/28/2018 Version: 1.7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Name : Radiator Stop Leak

Product code : 14001 Article number : 14001

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : Consumer use Function or use category : Multicomponent liquid.

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

BARDAHL NL - OCD NEDERLAND BV Maxwellstraat 41 3316 GP Dordrecht Nederland T 0031 78 651 2322 - F 0031 78 617 4848 mjkooijman@bardahl.nl - www.bardahl.nl

### 1.4. Emergency telephone number

Emergency number : +31 (0) 6 54924171

During office hours: 8.30 t/m 17:00 h

Country	Official advisory body	Address	Emergency number	Comment
	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.

#### 2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	1 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
GLYCERIN	CAS-No.: 56-81-5 EC-No.: 200-289-5 REACH-no: 01-2119471987- 18	1 – 10	Not classified

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If swallowed, seek medical advice immediately and show this container or label.

First-aid measures after inhalation : Allow affected person to breathe fresh air. Remove person to fresh air and keep comfortable

for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Wash skin thoroughly with mild soap and

water. Wash contaminated clothing before reuse.

First-aid measures after eye contact

: Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do Continue rinsing.

First-aid measures after ingestion : Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

# 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

1/13/2020 (Revision date) EN (English) 2/12

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Water spray. Dry powder. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Incomplete combustion will generate poisonous carbon monoxide, carbon dioxide and other

toxic gases.

#### 5.3. Advice for firefighters

Precautionary measures fire : Do not enter fire area without proper protective equipment, including respiratory protection.

Firefighting instructions : Prevent fire fighting water from entering the environment. Exercise caution when fighting

any chemical fire. Evacuate area.

Protection during firefighting : Wear a self contained breathing apparatus.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep public away from danger area. Eliminate every possible source of ignition. Evacuate

area. Equip cleanup crew with proper protection. Ventilate area.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

# 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Dam up the liquid spill. Dike for recovery or absorb with appropriate material.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.

# 6.4. Reference to other sections

See Heading 8. See Heading 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product. Wash hands and other exposed areas

with mild soap and water before eating, drinking or smoking and when leaving work.

Hygiene measures : Take off immediately all contaminated clothing. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, cool, well-ventilated area. Keep in original containers.

Incompatible materials : Freezing. heat.

### 7.3. Specific end use(s)

No additional information available

1/13/2020 (Revision date) EN (English) 3/12

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

Estonia - Occupational Exposure Limits  OEL TWA  DEL STEL  DOO prim (Alcool isopropylique: Belgium: Timeweighted average exposure limit 8 h)  DEL STEL  DEL STEL  DOO prim (Alcool isopropylique; Belgium; Short time value)  DEL STEL  DEL STEL  DOO prim (Alcool isopropylique; Belgium; Short time value)  DEL STEL (ppn)  DEL TWA	propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
IOEL TWA   S88 mg/m²   A00 ppm   A			
IOEL TWA [ppm]	, , ,		
TOEL STEL   1230 mg/m²   1230		7	
IOEL STEL (ppm)			
Belgium Occupational Exposure Limits  OEL TWA   500 mg/m³ (Alcool isopropylique; Belgium; Timeweighted average exposure limit 8 h)  OEL TWA (ppm)   200 ppm (Alcool isopropylique; Belgium; Timeweighted average exposure limit 8 h)  OEL STEL   1000 mg/m³ (Alcool isopropylique; Belgium; Short time value)  OEL STEL   1000 mg/m³ (Alcool isopropylique; Belgium; Short time value)  OEL STEL (ppm)   400 ppm (Alcool isopropylique; Belgium; Short time value)  SESTONIA - Occupational Exposure Limits  OEL TWA   650 mg/m³   250 ppm  France - Occupational Exposure Limits  VME (OEL TWA)   980 mg/m³ (Alcool isopropylique; France; Short time value; Vt.: Valeur non reglementaire indicative)  VME (OEL TWA) (ppm)   400 ppm (Alcool isopropylique; France; Short time value; Vt.: Valeur non reglementaire indicative)  Greece - Occupational Exposure Limits  OEL TWA   980 mg/m³   400 ppm   500 ppm   50		1230 mg/m³	
OEL TWA [ppm] 200 ppm (Alcool isopropylique; Belgium; Timeweighted average exposure limit 8 h)  OEL TWA [ppm] 200 ppm (Alcool isopropylique; Belgium; Timeweighted average exposure limit 8 h)  OEL STEL 1000 mg/m³ (Alcool isopropylique; Belgium; Short time value)  OEL STEL [ppm] 400 ppm (Alcool isopropylique; Belgium; Short time value)  OEL STEL [ppm] 400 ppm (Alcool isopropylique; Belgium; Short time value)  OEL TWA [ppm] 250 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [ppm] 250 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [ppm] 400 ppm (Alcool isopropylique; France; Short time value; Vt.: Valeur non réglementaire indicative)  VME (OEL TWA) [ppm] 400 ppm (Alcool isopropylique; France; Short time value; Vt.: Valeur non réglementaire indicative)  OEL TWA [ppm] 400 ppm (Alcool isopropylique; France; Short time value; Vt.: Valeur non réglementaire indicative)  OEL TWA [ppm] 400 ppm  OEL TWA [ppm] 400 ppm  OEL STEL 1225 mg/m³  OEL STEL 1225 mg/m³  OEL STEL 1225 mg/m³  OEL STEL 1225 mg/m³  TGG-8u (OEL TWA) [ppm] 500 ppm  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) [ppm] 250 ppm  TGG-C (OEL C) 980 mg/m³  Spain - Occupational Exposure Limits  Local name [sopropanol (Alcohol ispropilico)  VLA-ED (OEL TWA) [1] 500 mg/m³  VLA-ED (OEL TWA) [2] 200 ppm  VLA-ED (OEL TWA) [2] 200 ppm	IOEL STEL [ppm]	500 ppm	
average exposure limit 8 h)  OEL TWA [ppm]  200 ppm (Alcool isopropylique; Belgium; Timeweighted average exposure limit 8 h)  OEL STEL  1000 mg/m² (Alcool isopropylique; Belgium; Short time value)  OEL STEL [ppm]  400 ppm (Alcool isopropylique; Belgium; Short time value)  Estonia - Occupational Exposure Limits  OEL TWA  650 mg/m³  OEL TWA [ppm]  250 ppm  France - Occupational Exposure Limits  VME (OEL TWA)  980 mg/m² (Alcool isopropylique; France; Short time value; Vt.: Valeur non réglementaire indicative)  VME (OEL TWA) [ppm]  400 ppm (Alcool isopropylique; France; Short time value; Vt.: Valeur non réglementaire indicative)  Greece - Occupational Exposure Limits  OEL TWA  980 mg/m³  OEL TWA [ppm]  400 ppm (Alcool isopropylique; France; Short time value; Vt.: Valeur non réglementaire indicative)  Greece - Occupational Exposure Limits  OEL TWA [ppm]  400 ppm  OEL STEL [ppm]  500 ppm  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) [ppm]  250 ppm  TGG-8u (OEL TWA) [ppm]  250 ppm  TGG-8u (OEL TWA) [ppm]  250 ppm  TGG-6C (OEL C)  980 mg/m³  Spain - Occupational Exposure Limits  Local name [sopropanol (Alcohol ispropilico)]  VLA-ED (OEL TWA) [2]  VLA-ED (OEL TWA) [2]  VLA-ED (OEL TWA) [2]  VLA-ED (OEL STEL)  1000 mg/m³	Belgium - Occupational Exposure Limits		
average exposure limit 8 h)  OEL STEL 1000 mg/m² (Alcool isopropylique; Belgium; Short time value)  OEL STEL [ppm] 400 ppm (Alcool isopropylique; Belgium; Short time value)  Estonia - Occupational Exposure Limits  OEL TWA 650 mg/m³  OEL TWA [ppm] 250 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 980 mg/m³ (Alcool isopropylique; France; Short time value; Vt.: Valeur non réglementaire indicative)  VME (OEL TWA) [ppm] 400 ppm (Alcool isopropylique; France; Short time value; Vt.: Valeur non réglementaire indicative)  VME (OEL TWA) [ppm] 400 ppm (Alcool isopropylique; France; Short time value; Vt.: Valeur non réglementaire indicative)  OEL TWA 980 mg/m³  OEL TWA 980 mg/m³  OEL TWA [ppm] 400 ppm  OEL STEL 1225 mg/m³  OEL STEL [ppm] 500 ppm  Metherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) [ppm] 250 ppm  TGG-C (OEL C) 980 mg/m³  TGG-C (OEL C) 980 mg/m³  Spain - Occupational Exposure Limits  Local name Isopropanol (Alcohol ispropilico)  VLA-ED (OEL TWA) [2] 200 ppm  VLA-ED (OEL TWA) [2] 200 ppm	OEL TWA		
value)  OEL STEL [ppm] 400 ppm (Alcool isopropylique; Belgium; Short time value)  Estonia - Occupational Exposure Limits  OEL TWA 650 mg/m³ OEL TWA [ppm] 250 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 980 mg/m³ (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  VME (OEL TWA) [ppm] 400 ppm (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  OEL TWA [ppm] 400 ppm (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  OEL TWA 980 mg/m³ OEL TWA [ppm] 400 ppm OEL STEL 1225 mg/m³ OEL STEL 1225 mg/m³ OEL STEL [ppm] 500 ppm  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) [ppm] 250 ppm  TGG-8u (OEL TWA) [ppm] 250 ppm  TGG-C (OEL C) 980 mg/m³  TGG-C (OEL C) 980 mg/m³  Spain - Occupational Exposure Limits  Local name Isopropanol (Alcohol ispropilico)  VLA-ED (OEL TWA) [2] 200 ppm  VLA-ED (OEL STEL) 1000 mg/m³	OEL TWA [ppm]		
Estonia - Occupational Exposure Limits  OEL TWA 650 mg/m³ OEL TWA [ppm] 250 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 980 mg/m³ (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  VME (OEL TWA) [ppm] 400 ppm (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  Greece - Occupational Exposure Limits  OEL TWA 980 mg/m³ OEL TWA [ppm] 400 ppm OEL STEL 1225 mg/m³ OEL STEL 1225 mg/m³ OEL STEL 500 ppm  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) [ppm] 250 ppm  TGG-8u (OEL TWA) [ppm] 250 ppm  TGG-C (OEL C) 980 mg/m³  Spain - Occupational Exposure Limits  Local name Isopropanol (Alcohol ispropilico)  VLA-ED (OEL TWA) [1] 500 mg/m³  VLA-ED (OEL TWA) [2] 200 ppm  VLA-EC (OEL STEL) 1000 mg/m³	OEL STEL		
OEL TWA         650 mg/m³           OEL TWA [ppm]         250 ppm           France - Occupational Exposure Limits           VME (OEL TWA)         980 mg/m³ (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)           VME (OEL TWA) [ppm]         400 ppm (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)           Greece - Occupational Exposure Limits           OEL TWA         980 mg/m³           OEL TWA [ppm]         400 ppm           OEL STEL         1225 mg/m³           OEL STEL [ppm]         500 ppm           Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA) [ppm]         250 ppm           TGG-C (OEL C)         980 mg/m³           Spain - Occupational Exposure Limits           Local name         Isopropanol (Alcohol ispropilico)           VLA-ED (OEL TWA) [1]         500 mg/m³           VLA-ED (OEL TWA) [2]         200 ppm           VLA-EC (OEL STEL)         1000 mg/m³	OEL STEL [ppm]		
DEL TWA [ppm]  France - Occupational Exposure Limits  VME (OEL TWA)  VME (OEL TWA)  VME (OEL TWA) [ppm]  400 ppm (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  VME (OEL TWA) [ppm]  400 ppm (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  Greece - Occupational Exposure Limits  OEL TWA  980 mg/m³  OEL TWA [ppm]  400 ppm  OEL STEL  1225 mg/m³  OEL STEL [1225 mg/m³  Sou ppm  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) [650 mg/m³  TGG-8u (OEL TWA) [650 mg/m³  TGG-C (OEL C) [650 mg/m³  Spain - Occupational Exposure Limits  Local name Isopropanol (Alcohol ispropilico)  VLA-ED (OEL TWA) [1] [500 mg/m³  VLA-ED (OEL TWA) [2] [200 ppm  VLA-ED (OEL TWA) [2] [200 ppm	Estonia - Occupational Exposure Limits		
France - Occupational Exposure Limits  VME (OEL TWA)  980 mg/m³ (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  VME (OEL TWA) [ppm]  400 ppm (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  Greece - Occupational Exposure Limits  OEL TWA  980 mg/m³  OEL TWA  980 mg/m³  OEL TWA [ppm]  400 ppm  OEL STEL  1225 mg/m³  OEL STEL [ppm]  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  650 mg/m³  TGG-8u (OEL TWA) [ppm]  250 ppm  TGG-C (OEL C)  980 mg/m³  Spain - Occupational Exposure Limits  Local name  Isopropanol (Alcohol ispropilico)  VLA-ED (OEL TWA) [2]  200 ppm  VLA-ED (OEL TWA) [2]  VLA-EC (OEL STEL)  1000 mg/m³	OEL TWA	650 mg/m³	
VME (OEL TWA)  980 mg/m³ (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  VME (OEL TWA) [ppm]  400 ppm (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  Greece - Occupational Exposure Limits  OEL TWA  980 mg/m³  OEL TWA  980 mg/m³  OEL TWA [ppm]  400 ppm  OEL STEL  1225 mg/m³  OEL STEL [ppm]  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA)  650 mg/m³  TGG-8u (OEL TWA) [ppm]  250 ppm  TGG-C (OEL C)  980 mg/m³  Spain - Occupational Exposure Limits  Local name  Isopropanol (Alcohol ispropilico)  VLA-ED (OEL TWA) [2]  200 ppm  VLA-EC (OEL TWA) [2]  VLA-EC (OEL STEL)  1000 mg/m³	OEL TWA [ppm]	250 ppm	
value; VL: Valeur non réglementaire indicative)  VME (OEL TWA) [ppm] 400 ppm (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)  Greece - Occupational Exposure Limits  OEL TWA 980 mg/m³  OEL TWA [ppm] 400 ppm  OEL STEL 1225 mg/m³  OEL STEL 1225 mg/m³  OEL STEL [ppm] 500 ppm  Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) [ppm] 250 ppm  TGG-8u (OEL TWA) [ppm] 250 ppm  TGG-C (OEL C) 980 mg/m³  Spain - Occupational Exposure Limits  Local name Isopropanol (Alcohol ispropilico)  VLA-ED (OEL TWA) [1] 500 mg/m³  VLA-ED (OEL TWA) [2] 200 ppm  VLA-EC (OEL STEL) 1000 mg/m³	France - Occupational Exposure Limits		
value; VL: Valeur non réglementaire indicative)   Greece - Occupational Exposure Limits	VME (OEL TWA)		
OEL TWA       980 mg/m³         OEL TWA [ppm]       400 ppm         OEL STEL       1225 mg/m³         OEL STEL [ppm]       500 ppm         Netherlands - Occupational Exposure Limits         TGG-8u (OEL TWA)       650 mg/m³         TGG-8u (OEL TWA) [ppm]       250 ppm         TGG-C (OEL C)       980 mg/m³         Spain - Occupational Exposure Limits         Local name       Isopropanol (Alcohol ispropilico)         VLA-ED (OEL TWA) [1]       500 mg/m³         VLA-ED (OEL TWA) [2]       200 ppm         VLA-EC (OEL STEL)       1000 mg/m³	VME (OEL TWA) [ppm]		
OEL TWA [ppm]       400 ppm         OEL STEL       1225 mg/m³         OEL STEL [ppm]       500 ppm         Netherlands - Occupational Exposure Limits         TGG-8u (OEL TWA)       650 mg/m³         TGG-8u (OEL TWA) [ppm]       250 ppm         TGG-C (OEL C)       980 mg/m³         Spain - Occupational Exposure Limits         Local name       Isopropanol (Alcohol ispropilico)         VLA-ED (OEL TWA) [1]       500 mg/m³         VLA-ED (OEL TWA) [2]       200 ppm         VLA-EC (OEL STEL)       1000 mg/m³	Greece - Occupational Exposure Limits		
OEL STEL       1225 mg/m³         OEL STEL [ppm]       500 ppm         Netherlands - Occupational Exposure Limits         TGG-8u (OEL TWA)       650 mg/m³         TGG-8u (OEL TWA) [ppm]       250 ppm         TGG-C (OEL C)       980 mg/m³         Spain - Occupational Exposure Limits         Local name       Isopropanol (Alcohol ispropilico)         VLA-ED (OEL TWA) [1]       500 mg/m³         VLA-ED (OEL TWA) [2]       200 ppm         VLA-EC (OEL STEL)       1000 mg/m³	OEL TWA	980 mg/m³	
OEL STEL [ppm]         500 ppm           Netherlands - Occupational Exposure Limits           TGG-8u (OEL TWA)         650 mg/m³           TGG-8u (OEL TWA) [ppm]         250 ppm           TGG-C (OEL C)         980 mg/m³           Spain - Occupational Exposure Limits           Local name         Isopropanol (Alcohol ispropilico)           VLA-ED (OEL TWA) [1]         500 mg/m³           VLA-ED (OEL TWA) [2]         200 ppm           VLA-EC (OEL STEL)         1000 mg/m³	OEL TWA [ppm]	400 ppm	
Netherlands - Occupational Exposure Limits  TGG-8u (OEL TWA) 650 mg/m³  TGG-8u (OEL TWA) [ppm] 250 ppm  TGG-C (OEL C) 980 mg/m³  Spain - Occupational Exposure Limits  Local name Isopropanol (Alcohol ispropilico)  VLA-ED (OEL TWA) [1] 500 mg/m³  VLA-ED (OEL TWA) [2] 200 ppm  VLA-EC (OEL STEL) 1000 mg/m³	OEL STEL	1225 mg/m³	
TGG-8u (OEL TWA)       650 mg/m³         TGG-8u (OEL TWA) [ppm]       250 ppm         TGG-C (OEL C)       980 mg/m³         Spain - Occupational Exposure Limits         Local name       Isopropanol (Alcohol ispropilico)         VLA-ED (OEL TWA) [1]       500 mg/m³         VLA-ED (OEL TWA) [2]       200 ppm         VLA-EC (OEL STEL)       1000 mg/m³	OEL STEL [ppm]	500 ppm	
TGG-8u (OEL TWA) [ppm]       250 ppm         TGG-C (OEL C)       980 mg/m³         Spain - Occupational Exposure Limits         Local name       Isopropanol (Alcohol ispropilico)         VLA-ED (OEL TWA) [1]       500 mg/m³         VLA-ED (OEL TWA) [2]       200 ppm         VLA-EC (OEL STEL)       1000 mg/m³	Netherlands - Occupational Exposure Limits		
TGG-C (OEL C)         980 mg/m³           Spain - Occupational Exposure Limits           Local name         Isopropanol (Alcohol ispropilico)           VLA-ED (OEL TWA) [1]         500 mg/m³           VLA-ED (OEL TWA) [2]         200 ppm           VLA-EC (OEL STEL)         1000 mg/m³	TGG-8u (OEL TWA)	650 mg/m³	
Spain - Occupational Exposure Limits  Local name Isopropanol (Alcohol ispropilico)  VLA-ED (OEL TWA) [1] 500 mg/m³  VLA-ED (OEL TWA) [2] 200 ppm  VLA-EC (OEL STEL) 1000 mg/m³	TGG-8u (OEL TWA) [ppm]	250 ppm	
Local name         Isopropanol (Alcohol ispropilico)           VLA-ED (OEL TWA) [1]         500 mg/m³           VLA-ED (OEL TWA) [2]         200 ppm           VLA-EC (OEL STEL)         1000 mg/m³	TGG-C (OEL C)	980 mg/m³	
VLA-ED (OEL TWA) [1]       500 mg/m³         VLA-ED (OEL TWA) [2]       200 ppm         VLA-EC (OEL STEL)       1000 mg/m³	Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [2]         200 ppm           VLA-EC (OEL STEL)         1000 mg/m³	Local name	Isopropanol (Alcohol ispropilico)	
VLA-EC (OEL STEL) 1000 mg/m³	VLA-ED (OEL TWA) [1]	500 mg/m³	
	VLA-ED (OEL TWA) [2]	200 ppm	
VLA-EC (OEL STEL) [ppm] 400 ppm	VLA-EC (OEL STEL)	1000 mg/m³	
	VLA-EC (OEL STEL) [ppm]	400 ppm	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)		
Remark	(2011), VLB® (Agente químico que tiene Valor Límite Biológico específico en este documento.), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para unainformación detallada acerca de las prohibiciones consúltese:Base de datos de productos biocidas:htthttp://www.msssi.gob.es/ciudadanos/produ ctos.do?tipo=plaguicidasBase de datos de productos fitosanitarios:http://www.magrama.gob.es/agricultura/p ags/fitos/registro/fichas/pdf/Lista_sa.pdf)	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	999 mg/m³ Propan-2-ol; United Kingdom; Timeweighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)	
WEL TWA (OEL TWA) [2]	400 ppm Propan-2-ol; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)	
WEL STEL (OEL STEL)	1250 mg/m³ Propan-2-ol; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)	
WEL STEL (OEL STEL) [ppm]	500 ppm Propan-2-ol; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)	
USA - ACGIH - Occupational Exposure Limits		
Local name	2-Propanol	
ACGIH OEL TWA [ppm]	200 ppm	
ACGIH OEL STEL [ppm]	400 ppm	
Remark (ACGIH)	Eye & URT irr; CNS impair	

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

# 8.2.2. Personal protection equipment

# Personal protective equipment:

Gloves. Safety glasses.

# Personal protective equipment symbol(s):







# 8.2.2.1. Eye and face protection

# Eye protection:

Eye protection should only be necessary where liquid could be splashed or sprayed

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection			
Туре	Field of application	Characteristics	Standard
			EN 166

#### 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

In case of repeated or prolonged contact wear gloves

Hand protection	land protection				
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
					EN ISO 374

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Good ventilation of the workplace required

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

No additional information available

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Emulsion.
Colour : Green.

Odour : No data available Odour threshold : No data available

pH : 8-9

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available

Flash point :  $> 100 \, ^{\circ}\text{C}$ 

: No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure Relative vapour density at 20 °C : No data available Relative density : No data available Density : 0.99 - 1.01 20°C Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available : No data available Viscosity, kinematic Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

## 9.2. Other information

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Open flame. Sparks. Heat. Water, humidity. Freezing.

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. Hydrocarbon. Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

LD50 oral rat	> 5000 mg/kg
	0 0
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	> 20 mg/l/4h

# propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)

STOT-single exposure May cause drowsiness or dizziness.

Not classified

STOT-repeated exposure : Not classified Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

### 12.1. Toxicity

STOT-single exposure

Hazardous to the aquatic environment, short-term : Not classified

(acute)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

monic)		
propan-2-ol; isopropyl alcohol; isopropano	opan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
LC50 - Fish [1]	9640 mg/l (Pimephales promelas)	
LC50 - Other aquatic organisms [1]	> 10000 mg/l Daphnia magna	
EC50 - Crustacea [1]	> 9700 mg/l (24h)	
EC50 - Other aquatic organisms [1]	> 1000 mg/l (Algen 72h)	
GLYCERIN (56-81-5)		
LC50 - Fish [1]	54000 mg/l	
LC50 - Fish [2]	> 1000 mg/l	
TLM - Fish [1]	> 1000 ppm	
TLM - Other aquatic organisms [1]	> 10000 ppm	
Threshold limit - Other aquatic organisms [1]	2900 mg/l	
Threshold limit - Other aquatic organisms [2]	> 10000 mg/l	
Threshold limit - Algae [1]	> 10000 mg/l	

# 12.2. Persistence and degradability

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Biodegradation	98 %
GLYCERIN (56-81-5)	
Biochemical oxygen demand (BOD)	0.87 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.16 g O <sub>2</sub> /g substance
ThOD	1.217 g O₂/g substance
BOD (% of ThOD)	71 % ThOD

# 12.3. Bioaccumulative potential

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow) 0.05 25°C	
GLYCERIN (56-81-5)	
Partition coefficient n-octanol/water (Log Pow)	-1.76 – -2.6

# 12.4. Mobility in soil

GLYCERIN (56-81-5)	
Surface tension	0.063 N/m 20°C

# 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Other adverse effects

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Prevent entry to sewers and public waters. Collect all waste in suitable and labelled containers and dispose according to local legislation. Do not empty into drains.

Ecology - waste materials

: Avoid release to the environment.

# **SECTION 14: Transport information**

In accordance with / / ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shippin	g name			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard o	class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
Clean up even minor leaks o	r spills if possible without unne	ecessary risk		

### 14.6. Special precautions for user

Emergency action in case of accident:

: NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY, Keep public away from danger area, Mark roads and warns other road users, No open flames. No smoking, Stop the engine.

# Overland transport

No data available

#### Transport by sea

No data available

#### Air transport

No data available

# Inland waterway transport

No data available

#### Rail transport

No data available

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

France		
Occupational diseases		
Code	Description	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV, Annex 1)

: None of the components are listed

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : B(4) - low hazard for aquatic organisms SZW-lijst van kankerverwekkende stoffen : None of the components are listed SZW-lijst van mutagene stoffen : None of the components are listed SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid

SZW-lijst van reprotoxische stoffen - Ontwikkeling

Switzerland

: LK 10/12 - Liquids Storage class (LK)

### 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
1.2	Industrial/Professional use spec	Added	
2.2	Precautionary statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.1	First-aid measures general	Added	
4.1	First-aid measures after inhalation	Modified	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Indication of changes			
Section	Changed item	Change	Comments
4.1	First-aid measures after eye contact	Modified	
4.1	First-aid measures after ingestion	Modified	
4.1	First-aid measures after skin contact	Modified	
4.3	Other medical advice or treatment	Added	
5.1	Suitable extinguishing media	Modified	
5.3	Precautionary measures fire	Added	
5.3	Firefighting instructions	Added	
5.3	Protection during firefighting	Modified	
6.1	General measures	Added	
6.2	Environmental precautions	Modified	
6.3	For containment	Added	
6.3	Methods for cleaning up	Modified	
6.4	Reference to other sections (8, 13)	Added	
7.1	Hygiene measures	Added	
7.1	Precautions for safe handling	Modified	
7.2	Incompatible materials	Added	
8.2	Personal protective equipment	Added	
8.2	Respiratory protection	Modified	
8.2	Hand protection	Modified	
8.2	Eye protection	Modified	
9.1	Flash point	Added	
9.1	Density	Added	
9.1	Appearance	Added	
9.1	Colour	Modified	
10.1	Reactivity	Modified	
10.2	Chemical stability	Modified	
10.3	Possibility of hazardous reactions	Modified	
10.4	Conditions to avoid	Modified	
10.6	Hazardous decomposition products	Modified	
13.1	Ecology - waste materials	Added	
13.1	Waste disposal recommendations	Modified	
15.1	Occupational diseases	Added	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:		
	Abbreviations and acronyms:	
	RID: Regulations Concerning the International Transport of Dangerous Goods by Rail	
	ICAO: International Civil Aviation Organization  ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road	
	IMDG: International Maritime Code for Dangerous Goods	
	IATA: International Air Transport Association	
	GHS: Globally Harmonized System of Classification and labelling of Chemicals	
	EINECS: European Inventory of Existing Commercial Chemical Substances	
	ELINCS: European List of Notified Chemical Substances	
	CAS: Chemical Abstracts Service (division of the American Chemical Society)	
	VOC: Volatile Organic Compounds (USA, EU)	
	LC50: Lethal concentration, 50 percent	
	LD50: Lethal dose, 50 percent	

Full text of H- and EUH-statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.