

ATF Automatic Transmission Fluid VIII

Bardahl ATF Automatic Transmission Fluid VIII (ATF 8) is a fully synthetic transmission oil based on very high-quality base oils, specially developed for ZF automatic transmissions with 6, 8 or 9 gears. The balanced composition guarantees trouble-free operation and smooth shifting.

Applications

Bardahl ATF 8 Developed exclusively for ZF automatic transmissions with 6, 8 or 9 gears, as applied by VW, BMW, Jaguar, Land Rover, Jeep, Chrysler and the FIAT group.

Characterize

- Anti-wear protection: significantly longer transmission life.
- Friction properties: very smooth shifting, no vibrations.
- Longer oil life: excellent thermal and oxidation stability.

Accomplishments

Bardahl ATF 8 is a superior quality synthetic gearbox oil designed for excellent protection and extended life of the oil and automatic transmission. This automatic gearbox oil has excellent cold-start properties, very good shear resistance and contributes to fuel savings.

Specifications

BMW - 83 22 2 289 720 | BMW - 83222152426 | BMW - ATF3+ | CHRYSLER - 68157995AA | FIAT - 9.55550-AV5 | JAGUAR - 02JDE26444 | LAND ROVER - LR023288 | MB - 236.82 | VW - G 060 162

Analysis data

Test			Results
SAE - Class	Method	Unit	ATF Automatic Transmission Fluid VIII
Viscosity; cst at 100°C	ASTM D445	mm ² /s	5.94
Viscosity; cst at 40°C	ASTM D445	mm ² /s	28.1
Viscosity Index	ASTM D2270		164
Viscosity; cp at -40°C	ASTM D2983	mPa.s	9500
Pourpoint; °C	ASTM D6892	°C	-48
Colour	VISUAL		Green
Specific Gravity at 15/15 °C	ASTM D4052	g/ml	0.845
Flashpoint; COC; °C	ASTM D92	°C	210

Article number 59755
Contents 5 liter

Article number 59786
Contents 60 liter

Article number 59782
Contents 25 liter

Article number 59792
Contents 210 litres