

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 1/26/2015 Revision date: 10/8/2018 Supersedes version of: 8/31/2015 Version: 3.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Name	: XTM MC 10W40 Multigrade-Synthetic
Product code	: 550
Article number	: 55000

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Function or use category

: Lubricants and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BARDAHL NL - OCD NEDERLAND BV Maxwellstraat 41 3316 GP Dordrecht Nederland T 0031 78 651 2322 - F 0031 78 617 4848 mjkooijman@bardahl.nl - www.bardahl.nl

1.4. Emergency telephone number

Emergency number

: +31 (0) 6 54924171

During office hours: 8.30 t/m 17:00 h

Country	Official advisory body	Address	Emergency number	Comment
	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD Msida	+356 2545 6504	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Not classified

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Adverse physicochemical, human health and environmental effects

The product does not have to labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements

: EUH208 - Contains . May produce an allergic reaction. EUH210 - Safety data sheet available on request.

2.3. Other hazards

Contains no PBT/vPvB substances \geq 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polyolefin polyamine succinimide, borated	-	1 – 2.5	Aquatic Chronic 4, H413
Polyolefin polyamine succinimide, polyol	-	1 – 2.5	Aquatic Chronic 4, H413
Zinkalkyl dithiofosfaat	CAS-No.: 68649-42-3 EC-No.: 272-028-3 REACH-no: 01-2119493635- 27	0.1 – 1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Allow affected person to breathe fresh air. Call a poison center or a doctor if you feel unwell.
First-aid measures after skin contact	: No irritant effect.
First-aid measures after eye contact	: Ensure adequate flushing of eyes by separating eyelids with the fingers.
First-aid measures after ingestion	: Do NOT induce vomiting. Get immediate medical advice and attention.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	Carbon dioxide. Dry chemical. Water haze. Foam.Do not use a heavy water stream.	
5.2. Special hazards arising from the substance or mixture		
Fire hazard	: High temperature may liberate toxic gases.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

5.3. Advice for firefighters	
Protection during firefighting	: Use self-contained breathing apparatus. Wear suitable protective clothing.
SECTION 6: Accidental release m	easures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
No additional information available	
6.1.2. For emergency responders	
Protective equipment	: Wear proper protective equipment.
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for contain	iment and cleaning up
Methods for cleaning up	: Take up large spills with pump or vacuum. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).
6.4. Reference to other sections	
No dangerous substances are released. See	Headings 7 and 8. See Heading 13.

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Precautions for safe handling	: Use adequate ventilation to keep oil mist below applicable standard.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Keep in original containers. Store in a dry, cool place. Keep container tightly closed.		
7.3. Specific end use(s)			

No additional information available

SECTION 8: Exposure controls/person	al protection
8.1. Control parameters	
8.1.1 National occupational exposure and biologic No additional information available	ical limit values
8.1.2. Recommended monitoring procedures No additional information available	
8.1.3. Air contaminants formed No additional information available	
8.1.4. DNEL and PNEC Additional information	: OSHA PEL (TWA) (mg/m³) : 5 mg/m3. ACGIH STEL (mg/m³) : 10 mg/m3
8.1.5. Control banding No additional information available	
8.2. Exposure controls	

8.2.1. Appropriate engineering controls

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Eye protection should only be necessary where liquid could be splashed or sprayed

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear suitable gloves tested to EN374. Oil resistant gloves. Gloves material: Nitrile. PVC gloves. neoprene/butyl rubber. Refer to manufacturer's information. Penetration time of glove material: ≥ 480 min

8.2.2.3. Respiratory protection

Respiratory protection: Not required

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch	emical properties	
Physical state	: Liquid	
Colour	: brown.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: -30 °C (ASTM D97)	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: > 110 °C	
Auto-ignition temperature	: 354 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapour pressure	: No data available	
Relative vapour density at 20 °C	: No data available	
Relative density	: No data available	
Density	: 0.87 g/cm ³ (20°C)	
Solubility	: Material nearly insoluble in water.	
-	Organic solvent:0.0%	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Viscosity, kinematic	: 101 mm²/s (ASTM D445)	
Viscosity, dynamic	: No data available	
Explosive properties	: Product is not explosive. Explosive vapour/air mixtures may be formed.	
Oxidising properties	: No data available	
Explosive limits	: 0.6 – 7 vol %	
•		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
To avoid thermal decomposition, do not overheat.

10.3. Possibility of hazardous reactions

Strong oxidizers.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological inform	mation
11.1 Information on toxicological effe	ects
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
Skin corrosion/irritation Additional information Serious eye damage/irritation	 No irritant effect May cause an allergic skin reaction in susceptible individuals. No irritant effect
Respiratory or skin sensitisation Germ cell mutagenicity	No sensitisation responses were observedNot classified
Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered. Carcinogenic under IARC It was demonstrated by the IP 346 test all oils in this product contain less than 3% extractables.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
XTM MC 10W40 Multigrade-Syntheti	c
Viscosity, kinematic	101 mm²/s (ASTM D445)

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term	: Not classified
(acute)	
Hazardous to the aquatic environment, long-term	: Not classified
(chronic)	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability		
XTM MC 10W40 Multigrade-Synthetic		
Persistence and degradability	Not readily biodegradable.	
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
XTM MC 10W40 Multigrade-Synthetic		
Ecology - soil	This material is normally not harmful to aquatic organisms. The product has not been tested yet. This statement has been derived from the properties of the individual components. Prevent entry to sewers and public waters. Endangering to drinking water.	
12.5. Results of PBT and vPvB assessment	·	

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Prevent entry to sewers and public waters. Dispose in a safe manner in accordance with local/national regulations.
European List of Waste (LoW) code	: 13 02 05* - mineral-based non-chlorinated engine, gear and lubricating oils

SECTION 14: Transport information

IMDG	ΙΑΤΑ	ADN	RID
			1
Not applicable	Not applicable	Not applicable	Not applicable
g name			
Not applicable	Not applicable	Not applicable	Not applicable
lass(es)			
Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable
ards			
Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
	Not applicable g name Not applicable class(es) Not applicable Not applicable ards Dangerous for the environment: No	Not applicable Not applicable g name Not applicable Not applicable Not applicable class(es) Not applicable Not applicable Not applicable Not applicable Not applicable Image: Not applicable Not applicable	Not applicableNot applicableNot applicableg nameNot applicableNot applicableNot applicableNot applicableNot applicableclass(es)Not applicableNot applicableImplicableNot applicableNot applicableImplicabl

14.6. Special precautions for user

Overland transport No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3.	Polyolefin polyamine succinimide, borated
28.	XTM MC 10W40 Multigrade-Synthetic
29.	XTM MC 10W40 Multigrade-Synthetic
3(c)	Polyolefin polyamine succinimide, borated
30.	XTM MC 10W40 Multigrade-Synthetic

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

Germany

Water hazard class (WGK)	: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands	
ABM category	: B(4) - low hazard for aquatic organisms
SZW-lijst van kankerverwekkende stoffen	: Zinkalkyl dithiofosfaat is listed
SZW-lijst van mutagene stoffen	: Zinkalkyl dithiofosfaat is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Switzerland	
Storage class (LK)	: LK 10/12 - Liquids

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
1.2	Function or use category	Added	
3	Composition/information on ingredients	Modified	
15.2	Chemical safety assessment	Modified	

Abbreviations and acronyms:

Abbreviations and acronyms:
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail ICAO: International Civil Aviation Organization ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
EUH208	Contains . May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H315	Causes skin irritation.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
Skin Irrit. 2	Skin corrosion/irritation, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.