



# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 01/03/2016 Revision date: 11/03/2021 Supersedes version of: 12/01/2021 Version: 2.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Name : Diesel Anti Bacteria (DAB)  
UFI : 3767-J01H-S00H-J52Q  
Product code : 026  
Article number : 02600

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use  
Industrial/Professional use spec : Professional use.  
Function or use category : Bactericide

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

BARDAHL NL - OCD NEDERLAND BV  
Maxwellstraat 41  
3316 GP Dordrecht  
Nederland  
T 0031 78 651 2322 - F 0031 78 617 4848  
[mjkooijman@bardahl.nl](mailto:mjkooijman@bardahl.nl) - [www.bardahl.nl](http://www.bardahl.nl)

#### 1.4. Emergency telephone number

Emergency number : +31 (0) 6 54924171  
During office hours: 8.30 t/m 17:00 h

Country	Official advisory body	Address	Emergency number	Comment
	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302  
Acute toxicity (dermal), Category 3 H311  
Acute toxicity (inhalation:dust,mist) Category 4 H332  
Skin corrosion/irritation, Category 1, Sub-Category 1B H314  
Serious eye damage/eye irritation, Category 1 H318  
Skin sensitisation, Category 1 H317  
Germ cell mutagenicity, Category 2 H341  
Carcinogenicity, Category 1B H350  
Specific target organ toxicity – Repeated exposure, Category 2 H373

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous to the aquatic environment – Chronic Hazard, H411

Category 2

Full text of H- and EUH-statements: see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

## 2.2. Label elements

### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Hazard statements (CLP)

: H302+H332 - Harmful if swallowed or if inhaled.  
H311 - Toxic in contact with skin.  
H314 - Causes severe skin burns and eye damage.  
H317 - May cause an allergic skin reaction.  
H341 - Suspected of causing genetic defects.  
H350 - May cause cancer.  
H373 - May cause damage to organs (respiratory system/digestive system) through prolonged or repeated exposure.  
H411 - Toxic to aquatic life with long lasting effects.  
P201 - Obtain special instructions before use.  
P260 - Do not breathe vapours.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, eye protection/face protection.  
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 - IF exposed or concerned: Get medical advice/attention.  
P310 - Immediately call a POISON CENTER or doctor/physician.  
P391 - Collect spillage.  
EUH071 - Corrosive to the respiratory tract.  
Read label before use.

Precautionary statements (CLP)

EUH-statements

Extra phrases

## 2.3. Other hazards

PBT: not relevant – no registration required

Contains no PBT/vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
reaction products of paraformaldehyde and 2-hydroxypropylamine (ratio 3:2); [MBO]	CAS-No.: -- EC-No.: -- EC Index-No.: 612-290-00-1	50 – 100	Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Muta. 2, H341 Carc. 1B, H350 STOT RE 2, H373 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. When unconsciousness transport in a recovery position.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Keep the victim warm. Call a POISON CENTER/doctor.
First-aid measures after skin contact	: Remove contaminated clothing immediately. Wash skin thoroughly with mild soap and water. Do not use solvents or thinners!. Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Consult an eye specialist.
First-aid measures after ingestion	: If swallowed, rinse mouth with water (only if the person is conscious). Drink plenty of water. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: In all cases of doubt, or when symptoms persist, seek medical attention.
------------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxide. Powder. Water haze.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Precautionary measures fire	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Wear suitable respiratory equipment.
Other information	: Prevent fire fighting water from entering the environment.

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Ventilate area. Avoid inhalation of vapours.

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Collect leaking liquid in covered containers.

#### 6.4. Reference to other sections

(See section 7: Handling and Storage). For further information refer to section 8: "Exposure controls/personal protection".

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Good ventilation of the workplace required. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container.  
Incompatible materials : Direct sunlight. heat. Freezing.  
Maximum storage period : See imprint packing for storage life.  
Special rules on packaging : Observe the label precautions.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1 National occupational exposure and biological limit values

Diesel Anti Bacteria (DAB)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Remark	Formaldehyde - CAS No. 50-00-00 -. Value VLEP - 0.15 mg / m3 SER -- Value GWBB - 0.5 mg / m3 SER

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

**Personal protective equipment:**

Safety glasses. Gloves.

**Personal protective equipment symbol(s):**



##### 8.2.2.1. Eye and face protection

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses, With side shields			EN 166

##### 8.2.2.2. Skin protection

**Skin and body protection:**

Use chemically protective clothing

Skin and body protection	
Type	Standard
Wear suitable protective clothing	EN 13034,

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Safety gloves	Nitrile rubber (NBR)				EN ISO 374

##### 8.2.2.3. Respiratory protection

Respiratory protection			
Device	Filter type	Condition	Standard
In case of insufficient ventilation, wear suitable respiratory equipment	ABEK		EN 14387

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

**Environmental exposure controls:**

Prevent entry to sewers and public waters.

**Other information:**

Avoid contact with skin and eyes.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow.
Odour	: characteristic.
Odour threshold	: No data available

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

pH	: 10 20°C
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 204 °C
Flash point	: > 100 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 0.014 mbar 20°C
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Density	: 1.061 g/cm³ 20°C
Solubility	: Water: 999 g/l 20°C
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 17.908 mm²/s
Viscosity, dynamic	: 19 mPa·s
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions. Refer to chapter 7.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

### 10.4. Conditions to avoid

Stable at normal conditions. zie rubriek 7. Hazardous decomposition products in case of fire.

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

During handling at high temperatures : Smoke. Nitrogen oxides. Carbon dioxide. Carbon monoxide.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Additional information	: Toxic in contact with skin. Harmful if inhaled.

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diesel Anti Bacteria (DAB)	
LD50 oral rat	900 mg/kg (Rat, NOAEL: 72 mg / kg Toxicity (oral) Repeated dose (90 days), OECD Test Guideline 408)
LD50 oral	1207 – 1620
LD50 dermal rabbit	12.5
LC50 Inhalation - Rat	2 mg/l/4h
ATE CLP (vapours)	2 mg/l/4h
ATE CLP (dust,mist)	2 mg/l/4h

Skin corrosion/irritation	: Causes severe skin burns. pH: 10 20°C
Additional information	: Corrosive Causes serious eye damage
Serious eye damage/irritation	: Causes serious eye damage. pH: 10 20°C
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Additional information	: Sensitizer
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: May cause damage to organs (respiratory system/digestive system) through prolonged or repeated exposure.

reaction products of paraformaldehyde and 2-hydroxypropylamine (ratio 3:2); [MBO] (--	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified

Diesel Anti Bacteria (DAB)	
Viscosity, kinematic	17.908 mm²/s

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Prevent entry to sewers and public waters.
Ecology - water	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Diesel Anti Bacteria (DAB)	
LC50 - Fish [1]	57.7 mg/l (Brachydanio rerio): 57.7 mg/l
EC50 - Crustacea [1]	37.9 mg/l (Daphnia Magna)
EC50 - Other aquatic organisms [1]	44 mg/l (OECD 209) (Bacteria)
EC50 72h - Algae [1]	5.7 mg/l (Desmodesmus subspicatus (green algae))

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

#### Diesel Anti Bacteria (DAB)

PBT: not relevant – no registration required

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods	: Prevent entry to sewers and public waters.
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container to hazardous or special waste collection point.
Additional information	: Recycle after cleaning.
European List of Waste (LoW) code	: 14 06 03* - other solvents and solvent mixtures

## SECTION 14: Transport information

In accordance with / / ADR / IMDG / IATA / ADN / RID
















ADR	IMDG	IATA	ADN	RID
<b>14.1. UN number</b>				
UN 2922	UN 2922	UN 2922	UN 2922	UN 2922
<b>14.2. UN proper shipping name</b>				
CORROSIVE LIQUID, TOXIC, N.O.S.	CORROSIVE LIQUID, TOXIC, N.O.S.	Corrosive liquid, toxic, n.o.s.	CORROSIVE LIQUID, TOXIC, N.O.S.	CORROSIVE LIQUID, TOXIC, N.O.S.
<b>Transport document description</b>				
UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (reaction products of paraformaldehyde and 2- hydroxypropylamine (ratio 3:2); [formaldehyde released from 3,3'- methylenebis [5- methyloxazolidine]; formaldehyde released from oxazolidin]; [MBO]), 8 (6.1), II, (E), ENVIRONMENTALLY HAZARDOUS	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (reaction products of paraformaldehyde and 2- hydroxypropylamine (ratio 3:2); [formaldehyde released from 3,3'- methylenebis [5- methyloxazolidine]; formaldehyde released from oxazolidin]; [MBO]), 8 (6.1), II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 2922 Corrosive liquid, toxic, n.o.s. (reaction products of paraformaldehyde and 2- hydroxypropylamine (ratio 3:2); [formaldehyde released from 3,3'- methylenebis [5- methyloxazolidine]; formaldehyde released from oxazolidin]; [MBO]), 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S., 8 (6.1), II, ENVIRONMENTALLY HAZARDOUS
<b>14.3. Transport hazard class(es)</b>				
8 (6.1)	8 (6.1)	8 (6.1)	8 (6.1)	8 (6.1)



# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
  	  	  	  	  

### 14.4. Packing group

II

II

II

II

II

### 14.5. Environmental hazards

Dangerous for the environment: Yes

Dangerous for the environment: Yes  
Marine pollutant: Yes

Dangerous for the environment: Yes

Dangerous for the environment: Yes

Dangerous for the environment: Yes


No supplementary information available

### 14.6. Special precautions for user

Emergency action in case of accident: : Transport always in closed, upright and safe containers

#### Overland transport

Classification code (ADR) : CT1  
Special provisions (ADR) : 274  
Limited quantities (ADR) : 1I  
Excepted quantities (ADR) : E2  
Packing instructions (ADR) : P001, IBC02  
Mixed packing provisions (ADR) : MP15  
Portable tank and bulk container instructions (ADR) : T7  
Portable tank and bulk container special provisions (ADR) : TP2  
Tank code (ADR) : L4BN  
Vehicle for tank carriage : AT  
Transport category (ADR) : 2  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28  
Hazard identification number (Kemler No.) : 86  
Orange plates :



Tunnel restriction code (ADR) : E  
EAC code : 2X  
APP code : B

#### Transport by sea

Special provisions (IMDG) : 274  
Packing instructions (IMDG) : P001  
IBC packing instructions (IMDG) : IBC02  
Tank instructions (IMDG) : T7  
Tank special provisions (IMDG) : TP2  
EmS-No. (Fire) : F-A  
EmS-No. (Spillage) : S-B  
Stowage category (IMDG) : B  
Stowage and handling (IMDG) : SW2  
Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes. Toxic if swallowed, by skin contact or by inhalation.

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Air transport

PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y840
PCA limited quantity max net quantity (IATA)	: 0.5L
PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA)	: 30L
Special provisions (IATA)	: A3, A803
ERG code (IATA)	: 8P

### Inland waterway transport

Classification code (ADN)	: CT1
Special provisions (ADN)	: 274, 802
Limited quantities (ADN)	: 1 L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EP, TOX, A
Ventilation (ADN)	: VE02
Number of blue cones/lights (ADN)	: 2

### Rail transport

Classification code (RID)	: CT1
Special provisions (RID)	: 274
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02
Mixed packing provisions (RID)	: MP15
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions (RID)	: TP2
Tank codes for RID tanks (RID)	: L4BN
Transport category (RID)	: 2
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28
Colis express (express parcels) (RID)	: CE6
Hazard identification number (RID)	: 86

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Other information

: Abbreviations and acronyms:

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail  
ICAO: International Civil Aviation Organization  
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent.

Full text of H- and EUH-statements:	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Carc. 1B	Carcinogenicity, Category 1B
EUH071	Corrosive to the respiratory tract.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H373	May cause damage to organs through prolonged or repeated exposure.

# Diesel Anti Bacteria (DAB)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Full text of H- and EUH-statements:

H411	Toxic to aquatic life with long lasting effects.
Muta. 2	Germ cell mutagenicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.