

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 10/6/2015 Revision date: 6/15/2022 Supersedes version of: 9/28/2018 Version: 1.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Name	: Fuel Water Remover
UFI	: Q0GH-C9WS-6D94-6RUT
Product code	: 1082
Type of product	: Fuel additive
Article number	: 1082B

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec Function or use category : Consumer use : Fuel additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

BARDAHL NL - OCD NEDERLAND BV Maxwellstraat 41 3316 GP Dordrecht Nederland T 0031 78 651 2322 - F 0031 78 617 4848 mjkooijman@bardahl.nl - www.bardahl.nl

1.4. Emergency telephone number

Emergency number

: +31 (0) 6 54924171 During office hours: 8.30 t/m 17:00 h

Country	Official advisory body	Address	Emergency number	Comment
	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	0870 243 2241	
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Israel	Israel Poison Information Center Rambam Health Care Campus	6 Ha'Aliya Street 31096 Haifa	+972 4 854 1900	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 2: Hazards identification	
2.1. Classification of the substance or mixtu	re
Classification according to Regulation (EC) No. 12	72/2008 [CLP]
Flammable liquids, Category 2	H225
Serious eye damage/eye irritation, Category 2	H319
Specific target organ toxicity - Single exposure, Categoria	gory 3, Narcosis H336
Full text of H- and EUH-statements: see section 16	
Adverse physicochemical, human health and envi	ronmental effects
No additional information available	
2.2. Label elements	
Labelling according to Regulation (EC) No. 1272/2	008 [CLP]
Hazard pictograms (CLP)	
	GHS02 GHS07
Signal word (CLP)	: Danger
Contains Hazard statements (CLP)	 propan-2-ol; isopropyl alcohol; isopropanol H225 - Highly flammable liquid and vapour.
	H319 - Causes serious eye irritation.
	H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	: P101 - If medical advice is needed, have product container or label at hand.
	P102 - Keep out of reach of children.
	P233 - Keep container tightly closed.
	P260 - Do not breathe vapours. P264 - Wash hands thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P280 - Wear eye protection/face protection.
	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P403+P235 - Store in a well-ventilated place. Keep cool.
	P405+P205-Store in a weil-ventilated place. Reep cool.
	P501 - Dispose of contents and container to to a hazardous or special waste collection
	point.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
	No smoking.
Extra phrases	: For professional users only.
	Use according to instructions and specifically for this purpose.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propan-2-ol; isopropyl alcohol; isopropanol	CAS-No.: 67-63-0 EC-No.: 200-661-7 EC Index-No.: 603-117-00-0 REACH-no: 01-2119457558- 25	80 – 100	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
4-methylpentan-2-ol; methyl isobutyl carbinol	CAS-No.: 108-11-2 EC-No.: 203-551-7 EC Index-No.: 603-008-00-8 REACH-no: 01-2119473979- 13	5 – 15	Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H335
oleic acid, compound with (Z)-N-octadec-9- enylpropane-1,3-diamine (2:1)	CAS-No.: 34140-91-5 EC-No.: 251-846-4 REACH-no: 01-2119974119- 29	< 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Aquatic Chronic 2, H411

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
4-methylpentan-2-ol; methyl isobutyl carbinol	CAS-No.: 108-11-2 EC-No.: 203-551-7 EC Index-No.: 603-008-00-8 REACH-no: 01-2119473979- 13	(25 ≤C ≤ 100) STOT SE 3, H335	

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible).
First-aid measures after inhalation	: Allow the victim to rest. Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Do NOT induce vomiting. If swallowed, seek medical advice immediately and show this container or label.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after eye contact	May cause drowsiness or dizziness.Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Carbon dioxide. Dry powder. Water haze. Foam.Do not use a heavy water stream.
5.2. Special hazards arising from the subst	ance or mixture
Fire hazard Hazardous decomposition products in case of fire	 Flammable liquid and vapour. Incomplete combustion will generate poisonous carbon monoxide, carbon dioxide and other toxic gases.
5.3. Advice for firefighters	
Precautionary measures fire Firefighting instructions Protection during firefighting Other information	 Do not enter fire area without proper protective equipment, including respiratory protection. Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection. Prevent fire fighting water from entering the environment.
SECTION 6: Accidental release measures	
6.1. Personal precautions, protective equip	ment and emergency procedures
General measures	: Evacuate area. Eliminate every possible source of ignition. Ensure adequate ventilation, especially in confined areas. Keep public away from danger area.
6.1.1. For non-emergency personnel No additional information available	
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
6.2. Environmental precautions	

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters. Dam up the liquid spill.

6.3. Methods and material for containment and cleaning up		
For containment Methods for cleaning up	Recover the product with absorbent material.Clean up any spills as soon as possible, using an absorbent material to collect it.	

6.4. Reference to other sections

For disposal of solid materials or residues refer to section 13 : "Disposal considerations". For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling Hygiene measures	 Flammable liquid and vapour. Do not eat, drink or smoke when using this product. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includi	ng any incompatibilities
Technical measures Storage conditions	 Provide local exhaust or general room ventilation. Store in dry, cool, well-ventilated area. Keep in original containers. Keep container tightly closed.
Incompatible products Incompatible materials	: Oxidizer. Strong acids.: Sources of ignition. Freezing. Open flame.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
8.1.1 National occupational exposure and biological limit values			
propan-2-ol; isopropyl alcohol; isopropanol (6	67-63-0)		
EU - Indicative Occupational Exposure Limit (IOEL)			
IOEL TWA	983 mg/m³		
IOEL TWA [ppm]	400 ppm		
IOEL STEL	1230 mg/m ³		
IOEL STEL [ppm]	500 ppm		
Belgium - Occupational Exposure Limits			
OEL TWA	500 mg/m³ (Alcool isopropylique; Belgium; Timeweighted average exposure limit 8 h)		
OEL TWA [ppm]	200 ppm (Alcool isopropylique; Belgium; Timeweighted average exposure limit 8 h)		
OEL STEL	1000 mg/m³ (Alcool isopropylique; Belgium; Short time value)		
OEL STEL [ppm]	400 ppm (Alcool isopropylique; Belgium; Short time value)		
Estonia - Occupational Exposure Limits			
OEL TWA	650 mg/m³		
OEL TWA [ppm]	250 ppm		
France - Occupational Exposure Limits			
VME (OEL TWA)	980 mg/m³ (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)		
VME (OEL TWA) [ppm]	400 ppm (Alcool isopropylique; France; Short time value; VL: Valeur non réglementaire indicative)		
Greece - Occupational Exposure Limits			
OEL TWA	980 mg/m³		
OEL TWA [ppm]	400 ppm		
OEL STEL	1225 mg/m³		
OEL STEL [ppm]	500 ppm		
Netherlands - Occupational Exposure Limits			
TGG-8u (OEL TWA)	650 mg/m³		
TGG-8u (OEL TWA) [ppm]	250 ppm		
TGG-C (OEL C)	980 mg/m³		
Spain - Occupational Exposure Limits			
Local name	Isopropanol (Alcohol ispropilico)		
VLA-ED (OEL TWA) [1]	500 mg/m³		
VLA-ED (OEL TWA) [2]	200 ppm		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)			
VLA-EC (OEL STEL)	1000 mg/m ³		
VLA-EC (OEL STEL) [ppm]	400 ppm		
Remark	(2011), VLB® (Agente químico que tiene Valor Límite Biológico específico en este documento.), s (Esta sustancia tiene prohibida total o parcialmente su comercialización y uso como fitosanitario y/o como biocida. Para unainformación detallada acerca de las prohibiciones consúltese:Base de datos de productos biocidas:htthttp://www.msssi.gob.es/ciudadanos/produ ctos.do?tipo=plaguicidasBase de datos de productos fitosanitarios:http://www.magrama.gob.es/agricultura/p ags/fitos/registro/fichas/pdf/Lista_sa.pdf)		
United Kingdom - Occupational Exposure Limits			
WEL TWA (OEL TWA) [1]	999 mg/m³ Propan-2-ol; United Kingdom; Timeweighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)		
WEL TWA (OEL TWA) [2]	400 ppm Propan-2-ol; United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)		
WEL STEL (OEL STEL)	1250 mg/m³ Propan-2-ol; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)		
WEL STEL (OEL STEL) [ppm]	500 ppm Propan-2-ol; United Kingdom; Short time value; Workplace exposure limit (EH40/2005)		
USA - ACGIH - Occupational Exposure Limits			
Local name	2-Propanol		
ACGIH OEL TWA [ppm]	200 ppm		
ACGIH OEL STEL [ppm]	400 ppm		
Remark (ACGIH)	Eye & URT irr; CNS impair		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear protective gloves. Safety glasses. Wear a mask.

Personal protective equipment symbol(s):



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2.2.1. Eye and face protection

Eye protection			
Туре	Field of application	Characteristics	Standard
Safety glasses		tightly fitting safety goggles, With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection	
Туре	Standard
Wear suitable protective clothing	

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)		3 (> 0.65)	EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

Ensure good ventilation of the work station

Respiratory protection			
Device	Filter type	Condition	Standard
In case of insufficient ventilation, wear suitable respiratory equipment	Gas/vapour filter	Air-fed respiratory protective equipment should be worn when this product is sprayed if the exposure of the sprayer or other people nearby cannot be controlled to below the occupational exposure limit	

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	-	Liquid
Appearance	:	clear.
Colour	:	Yellow.
Odour	:	No data available
Odour threshold	:	No data available
рН	:	No data available
Relative evaporation rate (butylacetate=1)	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	15.5 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapour pressure	:	No data available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Relative vapour density at 20 °C	: 0.78 – 0.79
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity
10.1. Reactivity
Stable under normal conditions.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
Flammable liquid and vapour.
10.4. Conditions to avoid
Heat. Open flame. Sparks. Water, humidity. Freezing.
10.5. Incompatible materials
No additional information available

10.6. Hazardous decomposition products

Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

SECTION 11: Toxicological information

11.1 Information on toxicological effects	
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation) :	Not classified
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 Inhalation - Rat	> 20 mg/l/4h
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Causes serious eye irritation.
Respiratory or skin sensitisation :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	May cause drowsiness or dizziness.
propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4-methylpentan-2-ol; methyl isobutyl carbinol (108-11-2)		
STOT-single exposure	May cause respiratory irritation.	
STOT-repeated exposure :	Not classified	
oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine (2:1) (34140-91-5)		
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard :	Not classified	

SECTION 12: Ecological information

12.1. Toxicity		
Hazardous to the aquatic environment, short-term : (acute)	Toxic to aquatic life with long lasting effects. Not classified Not classified	
propan-2-ol; isopropyl alcohol; isopropanol (6	37-63-0)	
LC50 - Fish [1]	9640 mg/l (Pimephales promelas)	
LC50 - Other aquatic organisms [1]	> 10000 mg/l Daphnia magna	
EC50 - Crustacea [1]	> 9700 mg/l (24h)	
EC50 - Other aquatic organisms [1]	> 1000 mg/l (Algen 72h)	
oleic acid, compound with (Z)-N-octadec-9-enylpropane-1,3-diamine (2:1) (34140-91-5)		
LC50 - Fish [1]	0.01 – 0.1	
EC50 - Crustacea [1]	0.01 – 0.1	
EC50 72h - Algae [1]	0.01 – 0.1 mg/l	

12.2. Persistence and degradability

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Persistence and degradability	Product is biodegradable.
Biodegradation	98 %

12.3. Bioaccumulative potential

propan-2-ol; isopropyl alcohol; isopropanol (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05
Bioaccumulative potential	not bioaccumulable.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Sewage disposal recommendations	 Dispose of this material and its container to hazardous or special waste collection point. Do not discharge into drains or the environment.
Product/Packaging disposal recommendations	 Completely empty the packaging prior to decontamination. Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Do not re-use empty containers.

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shippin	g name			
FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	Flammable liquid, n.o.s.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
Transport document descr	iption			
UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol), 3, II, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol), 3, II	UN 1993 Flammable liquid, n.o.s. (propan-2-ol; isopropyl alcohol; isopropanol), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2- ol; isopropyl alcohol; isopropanol), 3, II	UN 1993 FLAMMABLE LIQUID, N.O.S. (propan-2 ol; isopropyl alcohol; isopropanol), 3, II
14.3. Transport hazard o	class(es)			
3	3	3	3	3
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haz	zards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
Clean up even minor leaks o	r spills if possible without unn	ecessary risk	1	

Emergency action in case of accident:

: NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY, Keep public away from danger area, Mark roads and warns other road users, No open flames. No smoking, Stop the engine.

Overland transport

	Classification code (ADR)	:	F1
	Special provisions (ADR)	:	274, 601, 640D
	Limited quantities (ADR)	:	11
Excepted quantities (ADR)		:	E2
Packing instructions (ADR)		:	P001, IBC02, R001
Mixed packing provisions (ADR)		:	MP19
Portable tank and bulk container instructions (ADR)		:	T7

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Portable tank and bulk container special provisions	: TP1, TP8, TP28
(ADR)	
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 2
Special provisions for carriage - Operation (ADR)	: S2, S20
Hazard identification number (Kemler No.)	: 33
Orange plates	
	33
	1002
	1993
Tunnel restriction code (ADR)	: D/E
EAC code	: •3YE
T	
Transport by sea	a= 1
Special provisions (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP1, TP28, TP8
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: B
Slowage calegory (INDO)	. D
Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
	: 353
PCA packing instructions (IATA)	
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3
ERG code (IATA)	: 3H
Inland waterway transport	
Classification code (ADN)	: F1
, ,	
Special provisions (ADN)	: 274, 601, 640D
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 274, 601, 640D
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T7
Portable tank and bulk container special provisions	: TP1, TP8, TP28
(RID) Tank codes for RID tanks (RID)	
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 2
Colis express (express parcels) (RID)	: CE7
Hazard identification number (RID)	: 33

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Other information, restriction and prohibition : Detergent Regulation. aliphatic hydrocarbons \geq 30%. aromatic hydrocarbons <5%. regulations

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

France	
Occupational diseases	
Code	Description
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide

Germany	
Water hazard class (WGK)	: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	: Listed in the 12. BlmSchV (Annex I) under:
	- Quantity threshold for operational area under § 1 para. 1
Netherlands	
ABM category	: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
SZW-lijst van kankerverwekkende stoffen	: None of the components are listed
SZW-lijst van mutagene stoffen	: None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	: None of the components are listed
SZW-lijst van reprotoxische stoffen –	: None of the components are listed
Vruchtbaarheid	
SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Class for fire hazard	: Class I-1
Store unit	: 1 liter
Classification remarks	: F <flam. 2="" liq.="">; Emergency management guidelines for the storage of flammable liquids</flam.>
	must be followed
Danish National Regulations	: Young people below the age of 18 years are not allowed to use the product
Danish National Regulations (Additional)	: Pregnant/breastfeeding women working with the product must not be in direct contact with the product
Switzerland	
Storage class (LK)	: LK 3 - Flammable liquids

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other in	nformation		
Indication of changes			
Section	Changed item	Change	Comments
	UN-No. (RID)	Added	
	Number of blue cones/lights (ADN)	Added	
	Ventilation (ADN)	Added	
	Equipment required (ADN)	Added	
	Carriage permitted (ADN)	Added	
	Excepted quantities (ADN)	Added	
	Limited quantities (ADN)	Added	
	Danger labels (ADN)	Added	
	Classification code (ADN)	Added	
	Proper Shipping Name (RID)	Added	
	Hazard identification number (RID)	Added	
	Colis express (express parcels) (RID)	Added	
	Transport category (RID)	Added	
	Tank codes for RID tanks (RID)	Added	
	Portable tank and bulk container special provisions (RID)	Added	
	Portable tank and bulk container instructions (RID)	Added	
	Mixed packing provisions (RID)	Added	
	Packing instructions (RID)	Added	
	Excepted quantities (RID)	Added	
	Limited quantities (RID)	Added	
	Special provisions (RID)	Added	
	Packing group (RID)	Added	
	Classification code (RID)	Added	
	ERG code (IATA)	Added	
	Special provisions (IATA)	Added	
	CAO max net quantity (IATA)	Added	
	CAO packing instructions (IATA)	Added	
	PCA max net quantity (IATA)	Added	
	PCA packing instructions (IATA)	Added	
	PCA limited quantity max net quantity (IATA)	Added	
	PCA Limited quantities (IATA)	Added	
	PCA Excepted quantities (IATA)	Added	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Indication of cha	anges		
Section	Changed item	Change	Comments
	Danger labels (IATA)	Added	
	Proper Shipping Name (IATA)	Added	
	Proper Shipping Name (IMDG)	Added	
	Danger labels (IMDG)	Added	
	EmS-No. (Spillage)	Added	
	EmS-No. (Fire)	Added	
	Limited quantities (IMDG)	Added	
	Stowage category (IMDG)	Added	
	Tank special provisions (IMDG)	Added	
	Tank instructions (IMDG)	Added	
	IBC packing instructions (IMDG)	Added	
	Excepted quantities (IMDG)	Added	
	Special provisions (IMDG)	Added	
	Special provisions for carriage - Operation (ADR)	Added	
	Tank code (ADR)	Added	
	Portable tank and bulk container special provisions (ADR)	Added	
	Portable tank and bulk container instructions (ADR)	Added	
	Mixed packing provisions (ADR)	Added	
	Packing instructions (ADR)	Added	
	Vehicle for tank carriage	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard pictograms (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
4.2	Symptoms/effects after inhalation	Added	
4.2	Symptoms/effects after eye contact	Modified	
5.2	Fire hazard	Added	
5.3	EAC code	Added	
7.1	Additional hazards when processed	Added	
8.2	Personal protective equipment	Added	
9.1	Relative vapour density at 20 °C	Added	
9.1	Flash point	Modified	
9.1	Colour	Modified	
10.3	Possibility of hazardous reactions	Modified	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Indication of changes			
Section	Changed item	Change	Comments
14.1	UN-No. (ADN)	Added	
14.1	UN-No. (ADR)	Added	
14.1	UN-No. (IMDG)	Added	
14.1	UN-No. (IATA)	Added	
14.2	Proper Shipping Name (ADN)	Added	
14.2	Proper Shipping Name (ADR)	Added	
14.3	Danger labels (RID)	Added	
14.3	Danger labels (ADR)	Added	
14.3	Class (ADR)	Added	
14.4	Packing group (ADN)	Added	
14.4	Packing group (IATA)	Added	
14.4	Packing group (IMDG)	Added	
14.4	Packing group (ADR)	Added	
14.6	Special provisions (ADN)	Added	
14.6	Packing instructions (IMDG)	Added	
14.6	Transport category (ADR)	Added	
14.6	Special provisions (ADR)	Added	
14.6	Excepted quantities (ADR)	Added	
14.6	Limited quantities (ADR)	Added	
14.6	Tunnel restriction code (ADR)	Added	
14.6	Hazard identification number (Kemler No.)	Added	
14.6	Classification code (ADR)	Added	
15.1	Water hazard class (WGK)	Modified	

Abbreviations and acronyms:		
	Abbreviations and acronyms:	
	RID: Regulations Concerning the International Transport of Dangerous Goods by Rail ICAO: International Civil Aviation Organization	
	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road	
	IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association	
	GHS: Globally Harmonized System of Classification and labelling of Chemicals	
	EINECS: European Inventory of Existing Commercial Chemical Substances	
	ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)	
	VOC: Volatile Organic Compounds (USA, EU)	
	LC50: Lethal concentration, 50 percent	
	LD50: Lethal dose, 50 percent	

Full text of H- and EUH-statements:	
Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.